







Phone: 07 3624 0300 Email: sales@rodneyind.com.au Web: www.rodneyind.com.au



### THE GREENCARE IRRIGATORS

The elegant, safe and simple irrigators for gardening, horticulture, sports and agriculture.

Introducing Rodney Industries' newest range of irrigators - the ORMA Hard Hose Travelling Irrigators.

The innovative high performance ORMA turbine drive allows the utilisation with various water qualities, including recycled and the possibility to add fertilizers.

Their range of irrigators are the result of the ongoing innovation and experience since the 1970s.

The ORMA irrigation machines are characterized by careful attention to details, robustness and ease of use.

Applications for the range include:

#### **Turf Watering**

Playing fields, parks, gardens, lawn planting, golf courses, race courses.

#### **Agriculture**

Small crops, nurseries, turf farms.

For the irrigation of gardens, parks, sports fields, nurseries, golf courses and small areas you can not go past ORMA's simplicity and convenience.



# THE RANGE



	Machine Size							
Standard	20mm x 40m	25mm x 50m	32mm x 70m	32mm x 120m	40mm x 120m	50mm x 150m	50mm x 180m	63mm x 110m
360° sprinkler	✓							
Adjustable sprinkler density	✓	✓	✓	✓	✓	✓	✓	✓
Automatic hose rewind through the turbine water drive with low absorption	✓	✓	✓	✓	✓	✓	✓	✓
Automatic sprinkler trolley lifting		✓	✓	✓	✓	✓	✓	✓
Automatic system to maintain constant the chosen rewinding speed						✓	✓	✓
Handle	✓							
Sectorial sprinkler with 5, 6 and 7mm nozzles		✓						
Sectorial sprinkler with 6, 7 and 8mm nozzles			✓	✓				
Sectorial sprinkler with 8, 9 and 10mm nozzles					✓			
Sectorial sprinkler with 9, 10 and 12mm nozzles						✓	✓	
Sectorial sprinkler with 12,14 and 16mm nozzles								✓
Sprinkler trolley on wheels	✓	✓	✓	✓	✓	✓	✓	✓
Stopping device at end of irrigation	✓	✓	✓	✓	✓	✓	✓	✓



### **SPECIFICATIONS**

	Ø Hose	Hose Length	Inlet Pressure		Flow Rate		Ø Gun Nozzle	Wetted Width 85%
Model	mm	mt	BAR	PSI	Lt/m	gpm	mm	mt
Leader 20	20	40	2/4	29 / 58	10 / 15	3 / 4	4	15 / 25
Leader 25	25	50	2/4	29 / 58	12 / 39	3 / 10	5 - 6 - 7	19 / 26
Leader 32	32	70	2.5 / 5.5	36 / 80	32 / 80	8 / 21	6 - 7 - 8	25 / 35
Leader 32	32	120	3.6 / 5.5	44 / 80	39 / 80	10 / 21	6 - 7 - 8	28 / 32
Leader 40	40	120	3.6 / 5.5	44 / 80	57 / 124	15 / 33	8 - 9 -10	28 / 32
Leader 50	50	150	3.0 / 6.0	44 / 87	88 / 211	23 / 55	9 - 10 - 12	31 / 44
Leader 50	50	180	3.0 / 6.0	44 / 87	88 / 211	23 / 55	9 - 10 - 12	31 / 44
Leader 63	63	110	3.0 / 5.5	44 / 80	125 / 351	33 / 93	12 - 14 - 16	34 / 51

# WEIGHTS AND DIMENSIONS



	Dimen	Weight	
Model	cm	inch	kg
Leader 20	40 x 80 x 45	16 x 32 x 18	33
Leader 25	60 x 76 x 85	24 x 30 x 34	60
Leader 32	90 x 90 x 105	36 x 36 x 42	122
Leader 32	140 x 103 x 140	57 x 41 x 55	205
Leader 40	140 x 103 x 140	57 x 41 x 55	210
Leader 50	170 x 133 x 175	67 x 53 x 69	360 /390
Leader 63	170 x 133 x 175	67 x 53 x 69	360

Please note performance data, weights and dimensions are to be used as a guide only. Contact Rodney Industries or your local distributor for more detailed specifications.

